



Introducing our brand-new flexible strips, which expand our product line to offer even more specialized lighting and application options.

LED CCC AMBER + SKY BLUE FLEX STRIP

NEW

Amber + Skyblue 1800K-40000K | IP20 | dimmable

- 117831** 15W|15W, 24V, 5m roll
- 117832** 10W+10W, 48V, 5m roll
- 117833** 10W+10W, 48V, 10m roll



Our modern LED CCC Amber+Skyblue flex strips are optimized for biologically effective circadian lighting. The melanopic effect of light colors is attuned to the human body's internal clock and supports the sleep-wake cycle.

The seamless transition between energizing daytime light and relaxing evening light ensures efficient lighting tailored to the human circadian rhythm.

LED SPI FLEX STRIPS

24V | 10W | 6LED/IC

SPI Wallwasher

- 117731** IP67, 2700K, 70 LED/m, 5m roll
- 117732** IP67, 3000K, 70 LED/m, 5m roll
- 117733** IP67, 4000K, 70 LED/m, 5m roll
- 117734** IP67, 2700K, 70 LED/m, 10m roll
- 117735** IP67, 3000K, 70 LED/m, 10m roll
- 117736** IP67, 4000K, 70 LED/m, 10m roll

SPI Flextube

- 117737** IP66, 2700K, 180 LED/m, 5m roll
- 117738** IP66, 3000K, 180 LED/m, 5m roll
- 117739** IP66, 4000K, 180 LED/m, 5m roll




Control each LED individually with our new SPI flex strips to create complex lighting patterns and effects. The two different types of flex strips are compatible with numerous SPI controllers, which enable highly precise control.

Ideally suited for facade lighting, for light lines on walls and ceilings, as well as for hotel, catering and event lighting.

LED CRI918/940 CCT FLEX STRIP

6W+6W | 256 LED/m | 1800K - 4000K

- 117588** IP20, 24V, 10m roll
- 117589** IP67, 24V, 10m roll
- 117590** IP20, 48V, 10m roll
- 117591** IP67, 48V, 10m roll
- 117592** IP67, 48V, 20m roll



With our LED CCT flex strips, the color temperature of the light can be continuously adjusted from 1800K to 4000K. From warm candlelight to neutral-white day lighting, it's all available in a single flex stripe. The high color rendering index (CRI90) ensures true-to-life color reproduction.

The CCT Flex Strip is used for residential lighting, in offices and stores, as well as in restaurants and as accent lighting.

LED GROW FLEX STRIP

48V | 17W/m | PPF 15.1 $\mu\text{mol/s}$ |
IP67 | 5m roll

117039



Our Grow LED Flex Strip features a specially tailored light spectrum to support plant growth. Thanks to its IP67 protection rating, it is also suitable for damp environments and sheltered outdoor areas.

Ideal as supplementary plant lighting with low energy consumption for plant shelves, green walls, greenhouses or conservatories.

GEL BOXES AND LEVER CLAMPS

NEW

Gel boxes

IP68 | up to 4 mm²

117903 2-pole

117904 3-pole

117905 5-pole



Lever Clamps

0.2–4 mm² | 450 V/32 A

117906 2-pole, 50 pcs.

117907 3-pole, 25 pcs.

117908 5-pole, 25 pcs.



Thanks to their reliable gel encapsulation, the new gel boxes provide secure protection for cable connections in accordance with protection class IP68 (dust- and waterproof). Our matching lever clamps ensure quick, tool-free installation.

Ideal for permanent branch connections in LED and electrical installations, both indoors and outdoors.